

# SYNTHESIS AND INVESTGATION OF MULTIFUNCTIONAL GdPO<sub>4</sub>/Eu/Yb-Tm NANOPARTRICLES

Andrius Pakalniškis<sup>1</sup>, Ramūnas Skaudžius<sup>1</sup>

<sup>1</sup>Institute of Chemistry, Vilnius University, Naugarduko 24, LT-03225 Vilnius, Lithuania  
[andrius.pakalniskis@chgf.vu.lt](mailto:andrius.pakalniskis@chgf.vu.lt)

Over the last couple of decades, biocompatible multifunctional magnetic and luminescent nanoparticles have received a lot of attention. Due to their possible applications in magnetic resonance and luminescent imaging, as possible drug carriers etc [1]. Most of these inorganic nanoparticles are rare-earth based materials due to their excellent magnetic and optical properties. Also, some of them are good host materials for dopant ions. One such material is GdPO<sub>4</sub> because of the phosphate groups on its surface that make it biocompatible and stable [2]. Gd<sup>3+</sup> ions have 7 unpaired 4f electrons resulting strong paramagnetic properties. Thus, the samples containing Gd<sup>3+</sup> ions are potential candidates for magnetic resonance imaging. Further gadolinium phosphate can be easily doped with other rare earth elements to make it a luminescent material as well. Europium is commonly used as a dopant because of its long decay times, narrow emission bands and orange-red light emission [3]. Other elements or even a combination of several dopants can be also used to make an upconverting system [4]. However the particles for bio applications have to be smaller than 100 nm in size, not agglomerated, and must be stable and have high luminescence intensity. Ions from the compounds must not leech into the organism. The small size of particles usually leads to low luminescence intensity but it can be increased by forming a core-shell system [5]. Also GdPO<sub>4</sub> particles of different size, shape and even of several crystal structures can be prepared. All of these factors influence the stability, as well as magnetic and luminescence properties. They can also affect the toxicity of the compound to the cells. For this reason a lot of research is still required.

In this work, rare-earth doped gadolinium phosphate was prepared using citric acid assisted hydrothermal synthesis. Effects of synthesis conditions and dopants were investigated. X-ray diffraction analysis was used to determine thermal stability and purity of obtained samples. Scanning electron microscopy and transmission electron microscopy were used to determine the shape and size of particles. Luminescence measurements of particles and their solutions were performed. Thermal gravimetric measurements were used in order to find the amount in the crystal hydrate.

**Acknowledgements.** This research is funded by the European Social Fund under the No 09.3.3- LMT K-712 “Development of Competences of Scientists, other Researchers and Students through Practical Research Activities” measure.

---

[1]Bohara, R.A., N.D. Thorat, and S.H. Pawar, *Role of functionalization: strategies to explore potential nano-bio applications of magnetic nanoparticles*. RSC Advances, 2016. **6**(50): p. 43989-44012.

[2]Dumont, M.F., et al., *DNA Surface Modified Gadolinium Phosphate Nanoparticles as MRI Contrast Agents*. Bioconjugate Chemistry, 2012. **23**(5): p. 951-957.

[3]Patra, C.R., et al., *Inorganic phosphate nanorods are a novel fluorescent label in cell biology*. Journal of Nanobiotechnology, 2006. **4**(1): p. 11.

[4]Ren, W., et al., *Lanthanide ion-doped GdPO<sub>4</sub> nanorods with dual-modal bio-optical and magnetic resonance imaging properties*. Nanoscale, 2012. **4**(12): p. 3754-3760.

[5]Ansari, A.A., *Facile Synthesis Method for the Preparation of Large-scale Ultra-small GdPO<sub>4</sub>:Tb and GdPO<sub>4</sub>:Tb@LaPO<sub>4</sub> Nanowires*. Journal of the Chinese Chemical Society, 2018. **65**(4): p. 490-496.